

## PATIENT INFORMATION AND MEDICAL HISTORY

Name	Date:			
Address		State		
Home PhoneWork Phone:				ail Address
Date of Birth Age _	Sex			
		<b>HISTORY</b>		
	Please check if	you have had the follo	owing:	
Diabetes		Irregular menses		
Hepatitis	Heart problems			
Herpes	Hypertension			
		Photosensitive Diso	rder	
		Autoimmune illnes	s	
Are you under the care of a physician				
Current/Recent medications				
		If was avalain		
Keloid scars	Yes	If yes explain No		
Hives	Yes	No		
Skin Cancer	Yes	No		
Waxing	Yes	No		
Electrolysis Cold Sores	Yes	No		
Hypersensitivity to skin products	Yes	No		
Skin Infections	Yes	No		
Tanning within the last 6 wks	Yes	No		
Use of acne products/drugs	Yes	No		
Laser skin resurfacing Chemical Peels	Yes	No		
Photo sensitizing substances	Yes	No		
Laser work of any type	Yes	No		
Medical Illness.				
Are you pregnant?				
Allergies of any kind including drugs_				
Areas of interest for aesthetic treatm				
, and of interest for destricte treatment				
Requested Area of Treatment:				
вотох		Filler		
Frown lines (between the eyes)				
		Lip Augmentation.		
Horizontal forehead lines		Nasolabial folds		
Crow's Feet		Marionette Lines		
Bunny lines (bridge of nose)		Vertical Lip Lines		
Droony Evehrow		Scar fill-in		



# THE WOMEN'S GROUP OF NORTHWESTERN CONSENT FOR BOTOX®

Patie	ient Name:	Date of Birth:
1. Ic	I consent to the performance of Botox <sup>®</sup> injections on the above-r	named patient. This is to be performed by or under the supervision of
Dr	who has e	explained to me:
A.		ent: The injection of a very small amount of Botox, a purified toxin produced uscle causes weakness or paralysis of that muscle. This results in relaxation of emuscle action has formed.
В.	<ul> <li>B. Known significant risks have been disclosed, yet the theoreti complications of botox which may include:</li> <li>1. Transient headache</li> </ul>	cal risk of unknown complications does exist. Possible risks and
	2. Swelling	in E, Aspirin, Motrin, other nonsteroidal anti-inflammatory drugs and blood
	thinning medications such as Coumadin. I understand if I be recommended.)	have taken any of these products in the past 7 days the procedure may not
	<ul><li>4. Pain during injection</li><li>5. Twitching</li></ul>	
	6. Itching or numbness	
	months. At this point a repeat treatment can relax the musc treatment, if asked to do so by my physician.	after injection. Typically, the muscle action (wrinkles) will return in 4-5 cle and soften the lines again. I agree to follow up in 2-4 weeks after my first
	I was informed this procedure is considered a cosmetic treatmen	
-	ction does not work as satisfactorily or for as long as usual. I under gined. Payment for this cosmetic procedure is my responsibility. I	understand that there will be an additional fee for touch ups. I have
	the opportunity to discuss this procedure with a physician and re	
		acial muscles activity; lines present at rest may or may not improve.
5. Tu 6. Ta	I understand there is an increase in side effects if I do not follow  a. I will not lie down or bend forward for any extended p  b. I will not manipulate or massage the treated area for at I understand that there are certain conditions when Botox® treat  a. Neurological disease, such as myasthenia gravis  b. Pregnancy or breastfeeding I authorize the physician performing this procedure to obtain the I would like a follow up call to check on my status?	eriods of time for four hours post procedure. t least 4 hours post procedure. ments are not recommended. These include:
8. I c	I can be reached at: ( ) –	OK to leave message?  YES NO
I have	ve read and fully und <u>erstand this Botox consent. All the blan</u> k	spaces were filled in before I signed the form.
Signat	nature of Patient	Date and Time
certifytl iagnost herapeu certifytl	ostic or the rapeutic procedure; the risks involved in the proposed diagnostic peutic procedure; and the risks involved in refusal of the proposed diagnostic o	$ragraph 2 of the consent to {\tt Diagnostic} and {\tt Therapeutic} {\tt Procedure}, that {\tt I answered} the {\tt signer'} and {\tt Constitution} and {\tt Constitution} are also considered to {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Constitution} and {\tt Constitution} are also constituted as {\tt Co$
	Elena M. Kamel, M.D.	
L	EIENA IVI. KAMEI, IVI.D.	Date
	Julie M. Levitt. MD	

	Me	dical Records Number:	
Date:	Patient Name:		
P		nt Chart for Botox ion pattern	
Photos (befor	re)		
BOTOX			
LOT NUMBER#_			
Areas Treated	Units Used		
1. Glabellar			
2. Frontalis			
3. Crows Feet	( <del></del>	4/60/	
4	:		
Photos (after)			
Total Areas treate	d:		
Total Units used:			
ITEM	UNIT COST	TOTAL FEE	
вотох	/unit	\$	
Patient Signature	X	Provider signatureX	
	Med	lical Records Number:	
Date:	Patient Nan	ne:	

1, 1

ELENA M. KAMEL, M.D.
ANITA LEVIN, M.D.
LINDA S. KATZ, M.D.
PAMELA A. LUI, M.D.
JULIE A. ERICSON, M.D.
JULIE M. LEVITT, M.D.
KAMALJEET MURTHY, M.D.
STEPHANIE W. LAU, M.D.



JORDAN L. SHERAN, M.D. ADRIENNE J. ADAMS, M.D. JULIANA SUNG, M.D.

BARBARA HARTNETT, RNC, MS ASHLEY GIER, MSN, WHNP LAURA B. FRESE, MMS, PA-C LAUREN DOWD, MSN, FNP-BC

#### BOTOX COSMETIC PRE AND POST CARE INSTRUCTIONS

- 1. Your provider only uses FDA approved Allergan manufactured BOTOX Cosmetic
- 2. It is helpful to avoid blood thinner over-the counter medications such as Aspirin, Motrin and Aleve prior to any treatment. If bruising occurs, it is most common around the eyes and can be covered using a cover-up stick. While we make every effort to avoid bruising, this may occur because the skin around the eyes is very thin and there are several small blood vessels in this area. Bruising is usually minimal and may take up to 7 days to resolve completely.
- 3. Your treatment will take effect anywhere from 7-10 days.
- 4. Immediately following your treatment, please do not lie down for 4 hours.
- 5. Avoid any massage or pressure to the area, as this may disrupt placement of the drug. If you would like to re-apply makeup, please do so gently over the treated area.
- 6. Refrain from heavy exercise for 24 hours.
- 7. Contract and release the treated muscles every few minutes over the next hour following treatment. This helps with "uptake" of the drug.
- 8. Allergan, the Manufacturer of BOTOX, as well as our own patient experiences, report the average duration of results is approximately 4-5 months. It is important to maintain regular injection intervals to maintain an optimal aesthetic results and prevent returning to your original pre-treatment condition.
- 9. Let us know if you have any comments, questions, or concern. Our entire staff is committed to patient education, safety and care.

ELENA M. KAMEL, M.D.
ANITA LEVIN, M.D.
LINDA S. KATZ, M.D.
PAMELA A. LUI, M.D.
JULIE A. ERICSON, M.D.
JULIE M. LEVITT, M.D.
KAMALJEET MURTHY, M.D.
STEPHANIE W. LAU, M.D.



JORDAN L. SHERAN, M.D. ADRIENNE J. ADAMS, M.D. JULIANA SUNG, M.D.

BARBARA HARTNETT, RNC, MS ASHLEY GIER, MSN, WHNP LAURA B. FRESE, MMS, PA-C LAUREN DOWD, MSN, FNP-BC

#### INJECTABLE PRE-INSTRUCTIONS AND INFORMATION

- 1. To decrease the incidence of bruising and bleeding, refrain from all <u>blood-thinning medications and</u> <u>supplements 14 days before an injectable filler treatment</u>. If you need to take something for the relief of minor aches or pains, <u>YOU MAY TAKE TYLENOL</u> (Acetaminophen). Please refer to your medication sheet for a comprehensive list. If you have any questions, please call our office, and speak with your provider.
- 2. Please avoid any alcohol for 48 hours before your injectable treatment.
- 3. If you tend to bruise easily, begin taking homeopathic Arnica 2 days before treatment (used to reduce bruising and swelling) or Arnica Montana as directed which is found at Whole Foods and Vitamin Stores.
- 4. Ice Compress are used throughout the procedure for your comfort and to help minimize swelling and bruising.



## Medication/Supplements to Avoid

### 1-Week Prior to Botox Treatment AND 2 Weeks Prior to an injectable Filler Treatment

livbA Celebrex Goody's Persistin Aleve Cheracol Capsules Heparin Phentermine Chlortrimeton Ibuprofen Phenylbutazone Allegra Alka-Seltzer Clinoril Indocin Pontel

Alka-Seltzer Plus

Anacin

Cope Tablets
Anaprox

Congesprin Chewable
Indomethacin
Ianorinal
Lioresal

Propoxyphene Compound 65
Robaxisal
Rufen

Coumadin Rufen Anaprox Lioresal **CP-2 Tablets** Anadynos Lortab Ru-Tuss Ansaid Damason-P Lovenox S.A.C. A.P.C. **Darvon Compound** Magan Saleto Araesic Darvon Compound-65 Salocal Magsal Arthropan Liquid Darvon N with A.S.A. Marnal Sine Aid

Arthritis Pain Formula Darvon w/A.S.A. Maximum Bayer Aspirin Sine-off Sinus Medicine

Arthritis Strength Bufferin A.S.A. Pulvules Measurin Sinutab Sk-65 Compound

A.S.A. Enseals
Disalcid
Dolobid
Methcarbamol w/Aspirin
Micrainin
Stanback
Stendin

Ascriptin A/D Dolprin Mobidin St. Joseph's Aspirin for Kids Ascriptin w/Codine Nidol St. Joseph's Cold Tablets

Ascriptin Extra Strength **Durasal Tablets** Sulindac Mobigesic Asperbuf Easprin Momentum Muscular Surmontil Aspergum **Ecotin** Backache Formula **Synalgos Aspirin** Efficin Motrin **Tagamet** 

Atromid Elavil Mysteclin F Talwin Compound Axotal **Emagrin** Nalfon Tenuate Dospan Axolid **Emprazil** Naprosyn Tetracycline Bayer Aspirin **Empirin with Codeine** Neocylate Tolectin

Bayer Aspirin Maximum Encaprin Nicobid Tometin Bayer Children's Aspirin Endep Norgesic Triaminicin Bayer Children's Cold **Equagesic Tablets** Norgesic Forte Triavil Bayer Time-Release Etrafon Nuprin Triaesic

B.C. Tablets and Powder Excedrin Oraflex Trilisate Tablets & Liquids

Orudis Buff-a-Comp Feldene Tumeric Buff-a-Comp No. 3 Pabalate-SF Uracel Florinal Buffets II Flagyl Pamelor Vanquis Buffinol Flexeril Parnate Verin Four-Way Cold Tablets Pepto-Bismol Tablets Vibramycin **Buf-Tabs** Pepto-Bismol Suspension Butazolidin Gavsal-S Voltaren

Cams Arthritis Pain Reliever Gelprin Percodan Wine/Alcohol Carisoprodol Gemnisin Persantine Zomax

#### HERBAL SUPPLEMENTS

Zorprin

Billberry (vaccinum myrtilllus) Cayenne (capsicum annuum) Chia Seeds

Cumin Dong QuaL (angelica alnensis) Echinacea (Echinacea augusifolia)

Feverfew (tanacetum paithenium) Fish Oil (Omega 3) Flax Seed
Garlic (allium sativum) Ginger (zingiber officinate) Ginko Biloba

Ginseng (panax ginseng/panax quinquefolium) Hawthorne (crataegus laevigata) Kava Kava (piper methysticum)

Licorice Root (gylcyrrhiza glabra) Ma Huang (ephedra sinica) Melatonin

Red Clover (trifolium pretense) St. John's Wart (hypericum peforatum) Valerian (valerian officinalis)

Vitamin E Yohimbe (corynanthe yohimbe)

• Any questions on Medication/Supplements to avoid, please call your provider.